



Helio A7

ORDER FORM - INTERNATIONAL

P.O. number:* _____ Date: _____ Ship to:* _____
 Company Name:* _____ Phone:* _____ Name: _____
 Ordered by:* _____ Address: _____
 Clinician/ATP/RTS: _____ City: _____ State/Prov: _____
 Email: _____ Postal/Zip Code: _____

Marked for: _____ Phone: _____ * Required
 A7MA013 English Manual (STD) A7MA014 German Manual A7MA015 Italian Manual A7MA016 Dutch Manual A7MA017 Spanish Manual A7MA018 French Manual Taxes not included

MODEL																	
1	A7WC02	Ultralight Helio A7 wheelchair 7000 series aluminum (120 kg/265 lb weight capacity)										[8100]					
2	A7WC09	HD Heavy duty kit (159 kg/ 350 lb weight capacity)										[8104]					
3	A7WC10	E-Motion adaptor Kit (2 adaptors)										[8373]					
SEAT WIDTH ³ - cm (inches)																	
4	A7SW	Seat width:	14"	[8117]	15"	[8118]	16"	[8119]	17"	[8120]	18"	[8121]	19"	[8122]		NC	
5	A7SW	Special seat width:	20" ¹		[8123]	21" ²		[8124]	22" ²		[8125]						
SEAT DEPTH - cm (inches)																	
6	A7SD	Seat depth:	14"	[8127]	15"	[8128]	16"	[8129]	17"	[8130]	18"	[8131]	19"	[8132]		NC	
7	A7SD	Special seat depth:	20"		[8133]												\$475

1: Available with HD option

2: Only available with HD option

3: [Width calculator](#)

A7 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+ 2,54 cm	+ 5,08cm	STD	+ 2,54 cm	+ 5,08cm	STD	+ 2,54 cm	+ 5,08cm	STD	+ 2,54 cm	+ 5,08cm	STD	+ 2,54 cm	+ 5,08cm	STD	+ 2,54 cm	+ 5,08cm
4 in 10,2 cm	P1	13"	14"	15"	13,5"	14,5"	15,5"												
	P2	13,5"	14,5"	15,5"	14"	15"	16"	14,5"	15,5"	16,5"									
5 in 12,7 cm	P1																		
	P2				14"	15"	16"	14,5"	15,5"	16,5"									
	P3	14"	15"	16"	14,5"	15,5"	16,5"	15"	16"	17"	15,5"	16,5"	17,5"						
7 in 17,8 cm	P4	14,5"	15,5"	16,5"	15"	16"	17"	15,5"	16,5"	17,5"	16"	17"	18"	16,5"	17,5"	18,5"			
	P1										16,5"	17,5"	18,5"	17"	18"	19"			
	P2							16,5"	17,5"	18,5"	17"	18"	19"	17,5"	18,5"	19,5"			
	P3							17"	18"	19"	17,5"	18,5"	19,5"	18"	19"	20"	18,5"	19,5"	20,5"
	P4	16,5"	17,5"	18,5"	17"	18"	19"	17,5"	18,5"	19,5"	18"	19"	20"	18,5"	19,5"	20,5"	19"	20"	21"
	P5	17"	18"	19"	17,5"	18,5"	19,5"	18"	19"	20"	18,5"	19,5"	20,5"	19"	20"	21"	19,5"	20,5"	21,5"

Height available + - 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS													
8	A7CA01	Composite wheel w/ PU tire (1" width)	3" <input type="checkbox"/> [8190]	4" <input type="checkbox"/> [8191]	5" <input type="checkbox"/> [8192]	6" <input type="checkbox"/> [8193]	7" <input type="checkbox"/> [8194]	8" <input type="checkbox"/> [8195]	NC				
9	A7CA10	Pneumatic casters 6" x 1 1/4"						[8201]					
10	A7CA11	Pneumatic casters 8" x 1 1/4"						[8202]					
11	A7CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 1/2"					[8196]					
12	A7CA15		5" x 1 1/2"					[8197]					
13	A7CA16		6" x 1 1/2"					[8198]					
14	A7CA17		4" x 1 1/2"					[8205]					
15	A7CA18	Newton UltraCaster <i>Soft-Roll</i> Aluminum	5" x 1 1/2"					[8206]					
16	A7CA19		6" x 1 1/2"					[8207]					
CASTER OPTIONS													
17	A7CA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY)							[8203]				
18	A7CA13	Frog Legs suspension forks (Not available with caster pin locks)	User weight :					[8204]					

A7 - REAR Seat-to-floor Height

WHEEL SIZES	Height available		Specify desired height: _____
20" wheel	31.8cm / 12.5in	to 43.8cm / 17.25in	
22" wheel	34.3cm / 13.5in	to 46.4cm / 18.25in	
24" wheel	36.8cm / 14.5in	to 48.9cm / 19.25in	
25" wheel	38.1cm / 15in	to 50.2cm / 19.75in	
26" wheel	39.4cm / 15.5in	to 51.4cm / 20.25in	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1.25 cm (1/2") of selected Seat to Floor height"

SWING-IN/SWING-OUT FOOTREST													
Set Length at:													
19	A7FR03	60° Swing-in/swing-out footrest	see line 22 (5 - 13.5")	see	13.5 - 17.0" <input type="checkbox"/>	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8177]	NC			
20	A7FR04	70° Swing-in/swing-out footrest	see line 22 (5 - 13.5")	(5 -	13.5 - 17.0" <input type="checkbox"/>	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8178]	NC			
21	A7FR15	80° Swing-in/swing-out footrest	see line 22 (5 - 13.5")		13.5 - 16.0" <input type="checkbox"/>	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8179]	NC			
FOOTREST OPTIONS													
22	A7FR09	High mount (footplate attached to the hanger with clamps)				Range: 1/2" - 13.5"			Set at:*	[8134]			

* +/- 1.27 cm (1/2")

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (Footplate mounted to hanger tube)												
23	A7FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹				7.5" - 11"		Set at:*	[8346]	NC		
24	A7FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}				9.5" - 13"		Set at:*	[8347]	NC		
25	A7FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}				9.5" - 14.5"		Set at:*	[8348]	NC		
26	A7FR99	Omit Footrest										

1: Available only with adjustable footplates 2: May interfere with front casters * +/- 1.27 cm (1/2")

ELEVATING LEGREST (unit) The elevating legrest replace the footrest side selected												
27	A7FR10	Elevating legrest with calf pad, 14 to 19" length adjustable			Left <input type="checkbox"/>	Right <input type="checkbox"/>	Set at:	[8180]				

FOOTPLATES												
28	A7FP01	Standard - Composite										
29	A7FP02	Newton adjustable angle - Composite										
30	A7FP03	Newton adjustable angle - Aluminum										
31	A7FP04	Newton adjustable angle - Carbon fiber (with rubber inserts)										
32	A7FP06	One piece adjustable angle flip-up - Aluminum										
33	A7FP07	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)										

FOOTPLATE ACCESSORIES												
34	A7FP08	Length adjustable heel loop (not available with one piece footplate)										
35	A7FP09	Calf strap										
36	A7FP30	Bodypoint Aeromesh Padded calf strap										

RESIDUAL LIMB SUPPORT (Height and angle adjustable) (unit)												
37	A7FR23	Swing away residual limb support - 18,8 x 22,8 cm (7" x 9")			Left <input type="checkbox"/>	Right <input type="checkbox"/>		[8513]	\$375			
38	A7FR12	Swing away residual limb support - 20.3 x 27.9 cm (8" x 11")			Left <input type="checkbox"/>	Right <input type="checkbox"/>		[8182]	\$375			

Back canes with integrated fixed height push handle

FIXED ANGLE BACK										
39	A7BC01	8° bend aluminum back cane	40.6 (16") <input type="checkbox"/> [8516]	45.7 (18") <input type="checkbox"/> [8515]	50.8 (20") <input type="checkbox"/> [8514]					NC

Back canes, height adjustable, with option

FIXED ANGLE BACK										
40	A7BC11	Straight aluminum back cane	30.5 - 38.1 (12-15") <input type="checkbox"/> [8517]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8356]	45.7 - 53.3 (18-21") <input type="checkbox"/> STD [8357]					NC
41	A7BC12	8° bend aluminum back cane	33 - 38.1 (13.5-15") <input type="checkbox"/> [8518]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8519]	45.7 - 53.3 (18-21") <input type="checkbox"/> STD [8520]					NC

ADJUSTABLE ANGLE BACK										
42	A7BC13	Adjustable angle, straight aluminum back cane	38.1 - 45.7 (15-18") <input type="checkbox"/> [8359]	45.7 - 53.3 (18-21") <input type="checkbox"/> STD [8366]						
43	A7BC14	Adjustable angle, 8° bend aluminum back cane	38.1 - 45.7 (15-18") <input type="checkbox"/> [8360]	45.7 - 53.3 (18-21") <input type="checkbox"/> STD [8367]						
44		Select back cane angle:	85° <input type="checkbox"/> ¹	90° <input type="checkbox"/>	95° <input type="checkbox"/> STD	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>		

Set height to: * (measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position

PUSH HANDLE OPTION										
45	A7PH01	Push handles								[8152] STD
46	A7PH05	Fold down push handles ²								[8526]
47	A7PH06	clamp on height adjustable push handle ³	22.9 - 50.8 cm <input type="checkbox"/> STD [8527]	22.9 - 58.4 cm <input type="checkbox"/> [8528]						
48	A7PH02	Without push handles								[8151] NC

1 - Not available with a 8 degree bend cane 2 - 265 pounds weight limit
 3 - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates.

STROLLER HANDLE AND STABILIZER BAR * (only available with push handle)										
49	A7PH04	Stroller handle - (not available with the HD option)								[8155] \$160
50	A7PH03	Newton folding stabilizer bar								[8154] \$250

* Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY										
51	A7BH07	Slip-on Active-Mesh back upholstery								[8159] NC <input type="checkbox"/>
52	A7BH08	Adjustable tension Active-Mesh back upholstery								[8160]
53	A7BH99	Omit Back upholstery								[8320] STD

SEAT CUSHION										
54	A7SC01	5.1 cm (2") Cushion								[8157]
55	A7SC02	7.6 cm (3") Cushion								[8158]
56	A7SC99	Omit seat cushion								[8381] STD

REAR WHEELS										
57	A7RW01	Mag ¹	20" <input type="checkbox"/> [8212]	22" <input type="checkbox"/> [8213]	24" <input type="checkbox"/> [8214]					
58	A7RW02	Newton One - spoke wheel ²	20" <input type="checkbox"/> [8377]	22" <input type="checkbox"/> [8215]	24" <input type="checkbox"/> [8216]					NC
59	A7RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/> [8217]	22" <input type="checkbox"/> [8218]	24" <input type="checkbox"/> [8219]	25" <input type="checkbox"/> [8220]	26" <input type="checkbox"/> [8221]			
60	A7RW04	Spinergy Spox		22" <input type="checkbox"/> [8222]	24" <input type="checkbox"/> [8223]	25" <input type="checkbox"/> [8224]	26" <input type="checkbox"/> [8225]			
61		Spinergy Spox spokes colors* Blk <input type="checkbox"/> STD		Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>			NC
62	A7RW05	Spinergy LX		22" <input type="checkbox"/> [8226]	24" <input type="checkbox"/> [8227]	25" <input type="checkbox"/> [8228]	26" <input type="checkbox"/> [8229]			
63		Spinergy LX spokes colors * Blk <input type="checkbox"/> STD	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>
64	A7RW07	Spinergy CLX Carbon Blade			24" <input type="checkbox"/> [8524]	25" <input type="checkbox"/> [8525]				
65		Spinergy CLX spokes colors * Blk <input type="checkbox"/> STD	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>

* Colour spokes require an additional 10 days lead-time

1 - HP tires are not compatible with Mag Wheels - use only aluminum or plastic coated handrim 2 - Not compatible with Shox tires

TIRES										
						Available				
66	A7TI01	Soft Urethane 1 1/4 "								[8231] STD
67	A7TI02	Soft Urethane knobby 1 3/8 "								[8374]
68	A7TI04	Soft Urethane - Shox 1"*								[8247]
69	A7TI05	Pneumatic 1 3/8 "								[8234] NC
70	A7TI08	Pneumatic with Airless insert 1 3/8 "								[8378]
71	A7TI06	Pneumatic HP - 1" **								[8240] <input type="checkbox"/>
72	A7TI07	Pneumatic HP - Schwalbe Marathon Plus 1" **								[8245]

* Not compatible with Newton One rear wheels ** Not compatible with Mag Wheels

HANDRIM					
73	A7HR01	Aluminum anodized		[8250]	STD
74	A7HR07	Newton Air Grip* Black <input type="checkbox"/>		[8441]	
75	A7HR	Newton Air Grip* (08) Sunkissed Orange <input type="checkbox"/> (09) Burgundy <input type="checkbox"/> (10) Sapphire Blue		[8442]	
		(11) Monster Green <input type="checkbox"/> (12) Charcoal <input type="checkbox"/> (13) Fuchsia <input type="checkbox"/> (14) Steel Blue <input type="checkbox"/>			
		(15) Ferrari Red <input type="checkbox"/> (16) Acid Green <input type="checkbox"/> (17) White <input type="checkbox"/> (18) Sky Blue <input type="checkbox"/>			
Assembly position for aluminum and Newton AirGrip handrims					
76	A7HR29	Standard Handrim position		[8500]	STD
77	A7HR30	Narrow Handrim position - <i>Short tab (not available in 22")</i>		[8501]	
78	A7HR31	Super Narrow Handrim - <i>Short tab (not available in 22")</i>		[8502]	


HANDRIM					
79	A7HR02	Plastic coated ²		[8251]	
80	A7HR03	Q-Grip High friction Neoprene coated* ^{1,2}		[8252]	
81	A7HR28	Surge* ^{1,2} (1-1/2" Oval handrim w/ Gripton high friction strip)		[8510]	
82	A7HR05	Surge LT* ^{1,2} (1-1/8" Oval handrim w/ Gripton high friction strip)		[8254]	<input type="checkbox"/>
83	A7HR04	Natural Fit* Standard Grip ^{1,2} (1-1/2" Oval handrim w/standard thumb piece)		[8253]	<input type="checkbox"/>
84	A7HR25	Natural Fit* Super Grip ^{1,2} (1-1/2" Oval handrim w/super grip thumb piece)		[8511]	<input type="checkbox"/>
85	A7HR99	Omit handrim		[8305]	NC <input type="checkbox"/>

* Not available with Mag wheels 1 - Not available in 20" 2- Only standard handrim position available

AXLE					
86	A7AX01	Quick release axle		[8255]	STD
87	A7AX02	Permanent axle		[8256]	NC
88	A7AX03	Quad release axle		[8257]	
AXLE PLATE					
89	A7AX04	Amputee adjustable axle plate *		[8259]	

* May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER					
90	A7CM00	0° camber		[8260]	STD
91	A7CM03	3° camber		[8261]	NC
92	A7CM06	6° camber <i>(not available with amputee axle plate)</i>		[8262]	

CENTER OF GRAVITY																																																		
																																																		
<p>Choose position of rear wheel axle plate:</p> <p>Measure distance X from front of back post to center of axle receiver.</p>																																																		
X =	<table border="1"> <thead> <tr> <th colspan="4">Most stable</th> <th colspan="4">Most responsive</th> </tr> </thead> <tbody> <tr> <td>2.5</td> <td>3.2</td> <td>3.8</td> <td>4.4</td> <td>5.1</td> <td>5.7</td> <td>6.3</td> <td>7</td> <td>7.6</td> <td>8.3</td> <td>8.9</td> <td>9.5</td> </tr> <tr> <td>1"</td> <td>1/4"</td> <td>1/2"</td> <td>3/4"</td> <td>2"</td> <td>1/4"</td> <td>1/2"</td> <td>3/4"</td> <td>3"</td> <td>1/4"</td> <td>1/2"</td> <td>3/4"</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input type="checkbox"/></td> <td></td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				Most stable				Most responsive				2.5	3.2	3.8	4.4	5.1	5.7	6.3	7	7.6	8.3	8.9	9.5	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"							<input type="checkbox"/>		<input type="checkbox"/>					
	Most stable				Most responsive																																													
2.5	3.2	3.8	4.4	5.1	5.7	6.3	7	7.6	8.3	8.9	9.5																																							
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"																																							
						<input type="checkbox"/>		<input type="checkbox"/>																																										
<p>If not indicated, default setting is at 3,8 cm (1.5")</p> <p>Possible conflict between a seat depth under 40.6 cm (16") and a center of gravity over 6,3 cm (2.5").</p> <p>Possible conflict between a 26" rear wheel and a center of gravity over 6,3 cm (2.5").</p> <p>If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.</p>																																																		

WHEEL LOCK					
93	A7WL08	Newton Wheel lock - push to lock		[8263]	STD
94	A7WL02	Pull to lock		[8264]	NC
95	A7WL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>		[8266]	
96	A7WL13 A7WL14	6" removable extension handle		[8265]	
97	A7WL05	Scissor Lock		[8267]	
98	A7WL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>		[8269]	
99	A7WL99	Omit wheel locks		[8315]	NC

FLIP BACK ARMREST (Convertible to "T" armrest)*				Height Adjustment		Removable function					
100	A7AR01	10" Desk length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/>	STD [8162]	25 - 36cm (10 - 14") <input type="checkbox"/>	[8161]	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/>	STD		
101	A7AR02	14" Full length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/>	STD [8163]	25 - 36cm (10 - 14") <input type="checkbox"/>	[8164]	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/>	STD		

* May have a 1/2" adjustment restriction on both limits of the range

"T" ARMREST*				Height Adjustment							
GEL ARM PAD - Option for "T" Armrest											
104	A7AR12	36cm (14") Full Length Arm Pad - Gel Ovation					[8512]				

SWING AWAY ARMREST **				Height Adjustment						
105	A7AR05	Tubular arm pad	20 - 28 cm (8 - 11")			[8169]				
106	A7AR06	10 "Desk length arm pad	20 - 28 cm (8 - 11")			[8170]				

** Could interfere with some rigid back rests

107	A7AR99	Omit armrest				[8452]		NC		
-----	--------	--------------	--	--	--	--------	--	----	--	--

SIDE GUARDS (not available with Flip Back and "T" Armrest)										
108	A7SG01	Plastic side guards (removable)				[8172]				
109	A7SG02	Carbon fiber side guards (fixed) ¹				[8173]				
110	A7SG03	Carbon fiber side guards (removable)				[8380]				
111	A7SG06	Plastic fender side guards (removable) ²				[8174]			<input type="checkbox"/>	
112	A7SG04	Carbon fiber fender side guards (removable)				[8523]				
113	A7SG99	Omit side guard				[8453]		NC	<input type="checkbox"/>	

1-Not available with back upholstery 2- Not compatible with 20" and 22" rear wheels

POSITIONING BELT										
114	A7SB01	Velcro adjustable	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>		[8271]				
115	A7SB02	Auto buckle	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>		[8272]				
116	A7SB07	Hardware attachment for 2 point seatbelt (1 pair)				[8274]		NC		
117	A7SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)				[8273]			<input type="checkbox"/>	
118	A7SB04	BodyPoint Hip Belt - 2 point not padded	M <input type="checkbox"/>	[8313]	L <input type="checkbox"/>	[8314]				
119	A7SB05	BodyPoint Hip Belt - 2 point padded	S <input type="checkbox"/>	[14633]	M <input type="checkbox"/>	[14644]	L <input type="checkbox"/>	[14653]		
120	A7SB06	BodyPoint Hip Belt - 4 point padded	S <input type="checkbox"/>	[14749]	M <input type="checkbox"/>	[14750]	L <input type="checkbox"/>	[14751]		
121	A7SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps				[8522]				
122	A7SB99	Omit positioning belt				[8316]		STD		

HEADREST *										
123	A7AC01	Profiled Headrest	Small 8,8 x 15,2 cm <input type="checkbox"/>	Medium 11,4 x 17,8 cm <input type="checkbox"/>	Large 14 x 2,3 cm <input type="checkbox"/>		[8282]			
124	A7AC02	Headrest mounting hardware with removable non folding stabilizer bar				[8153]				

* Only available with push handles - Not available with a stroller handle or a folding stabiliser bar


ACCESSORIES										
125	A7AC03	Anti tippers				[8275]				
126	A7AC04	Transit Tie Down (Unoccupied)				[8361]		NC		
127	A7AC05	WC-19 Transit Tie Down w/Q'straint belt*	Short 50-104 cm <input type="checkbox"/>	Long 50-116 cm <input type="checkbox"/>		[8326]				
*Not available with the swing away armrest ; Not available with HD option										
128	A7AC06	Cane carrier	Left <input type="checkbox"/>	Right <input type="checkbox"/>		[8276]				
129	A7AC07	Oxygen tank holder - D Type	Left			[8353]				
Not compatible with swing away armrest or amputee axle plate										
130	A7AC08	Spoke guards** Available: 20", 22", 24", 26"				[8277]				
131	A7AC09	Footrest neoprene impact guard (pair) - Black				[8278]				
132	A7AC10	Seat pouch				[8279]				
133	A7AC26	BodyPoint Mobility Bag				[8521]				
134	A7AC23	Newton Backpack				[8375]				
135	A7AC12	Velcro Closing Strap				[8281]				
136	A7AC13	Tool kit				[8329]				
137	A7AC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>	M/XXXL <input type="checkbox"/>				
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXL <input type="checkbox"/>		

** Not available with Mag wheels

FRAME COLOR (with black hydroformed aluminum crossbrace)

138	A7FC01	Black <input type="checkbox"/> [8116]							NC	<input type="checkbox"/>	
139	A7FC03	Sunkissed Orange <input type="checkbox"/> [8111]	Burgundy <input type="checkbox"/> [8107]	Sapphire Blue <input type="checkbox"/> [8106]	Monster Green <input type="checkbox"/> [8110]				NC	<input type="checkbox"/>	
		Charcoal <input type="checkbox"/>	Fuchsia <input type="checkbox"/> [8108]	Steel Blue <input type="checkbox"/> [8112]	Ferrari Red <input type="checkbox"/> [8113]	Acid Green <input type="checkbox"/> [8109]					
140	A7FC99	Custom Color	Specify PPG Paintit color:							Additional 10 days lead-time	<input type="checkbox"/>
TOTAL											

Fork and Stem bolt combinations



Notes :