



Helio C2

ORDER FORM - INTERNATIONAL

P.O. number:* _____ Date: _____

Company Name:* _____ Phone:* _____

Ordered by:* _____

Clinician/ATP/RTS: _____

Email: _____

Ship to:* **Custom Technologies Limited**

Name: _____

Address: **40 Raywood Crescent**

City: **TAUPO** State/Prov: **New Zealand**

Postal/Zip Code: **3330**

Phone: **+64 7 3785335** * Required

Marked for:

C2MA023 English Manual (STD) C2MA024 German Manual C2MA025 Italian Manual C2MA026 Dutch Manual C2MA027 Spanish Manual C2MA028 French Manual Taxes not included

MODEL													
1	C2WC05	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (113 kg - 250 lb weight capacity)										[8700]	
2	C2WC09	HD Heavy Duty package (159 kg - 350 lb weight capacity)										[8104]	
3	C2WC10	E-Motion adaptor Kit (2 adaptors)										[8373]	
SEAT WIDTH ³ (inches)													
4	C2SW	Seat width: 14"	[8117] 15"	[8118] 16"	[8119] 17"	[8120] 18"	[8121] 19"	[8122]			NC		
5	C2SW	Special seat width:	20"	¹ [8123] 21"	² [8124] 22"	² [8125]							
SEAT DEPTH													
6	C2SD	Seat depth: 14"	[8127] 15"	[8128] 16"	[8129] 17"	[8130] 18"	[8131] 19"	[8132]			NC		
7	C2SD	Special seat depth:	20"	[8133]									

1: Available with HD option 2: Only available with HD option [3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE													
8	C2PK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels										[8101]	

C2 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4" 10,2 cm	P1	13"	14"	15"	13.5"	14.5"	15.5"												
	P2	13.5"	14.5"	15.5"	14"	15"	16"	14.5"	15.5"	16.5"									
5" 12,7 cm	P1																		
	P2				14"	15"	16"	14.5"	15.5"	16.5"									
	P3	14"	15"	16"	14.5"	15.5"	16.5"	15"	16"	17"	15.5"	16.5"	17.5"						
	P4	14.5"	15.5"	16.5"	15"	16"	17"	15.5"	16.5"	17.5"	16"	17"	18"	16.5"	17.5"	18.5"			
7" 17,8 cm	P1										16.5"	17.5"	18.5"	17"	18"	19"			
	P2							16.5"	17.5"	18.5"	17"	18"	19"	17.5"	18.5"	19.5"			
	P3							17"	18"	19"	17.5"	18.5"	19.5"	18"	19"	20"	18.5"	19.5"	20.5"
	P4	16.5"	17.5"	18.5"	17"	18"	19"	17.5"	18.5"	19.5"	18"	19"	20"	18.5"	19.5"	20.5"	19"	20"	21"
	P5	17"	18"	19"	17.5"	18.5"	19.5"	18"	19"	20"	20.5"	19.5"	20.5"	19"	20"	21"	19.5"	20.5"	21.5"

Height available +- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS													
9	C2CA01	Composite wheel w/ PU tire (1" width)	3"□ [8190]	4"□ [8191]	5"□ [8192]	6"□ [8193]	7"□ [8194]	8"□ [8195]	NC				
10	C2CA10	Pneumatic casters 6" x 1 ¼"						[8201]					
11	C2CA11	Pneumatic casters 8" x 1 ¼"						[8202]					
12	C2CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "					[8196]					
13	C2CA15		5" x 1 ½ "					[8197]					
14	C2CA16		6" x 1 ½ "					[8198]					
15	C2CA17		4" x 1 ½ "					[8205]					
16	C2CA18	Newton UltraCaster <i>Soft-Roll</i> Aluminum	5" x 1 ½ "					[8206]					
17	C2CA19		6" x 1 ½ "					[8207]					
CASTER OPTIONS													
18	C2CA12	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>)							[8203]				
19	C2CA13	Frog Legs suspension forks (<i>Not available with caster pin locks</i>)				User weight :			[8204]				

C2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available		Specify desired height: _____
20" wheel	31.8cm / 12.5"	to 43.8cm / 17.25"	
22" wheel	34.3cm / 13.5"	to 46.4cm / 18.25"	
24" wheel	36.8cm / 14.5"	to 48.9cm / 19.25"	
25" wheel	38.1cm / 15"	to 50.2cm / 19.75"	
26" wheel	39.4cm / 15.5"	to 51.4cm / 20.25"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1cm" of selected seat to floor height"

SWING-IN/SWING-OUT FOOTREST												
Set Length at:												
20	C2FR03	60° Swing-in/swing-out footrest	<i>see line 23 (5 - 13.5")</i>	13.5 - 17.0" □	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8177]	NC			
21	C2FR04	70° Swing-in/swing-out footrest	<i>see line 23 (5 - 13.5")</i>	13.5 - 17.0" □	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8178]	NC			
22	C2FR15	80° Swing-in/swing-out footrest	<i>see line 23 (5 - 13.5")</i>	13.5 - 16.0" □	14.5 - 19.5"	15.5 - 20.5"	Set at:*	[8179]	NC			
FOOTREST OPTIONS												
23	C2FR09	High mount (<i>footplate attached to the hanger with clamps</i>)			Range: 12,7 - 34,3cm			Set at: *	[8134]			

* +/- 1.27 cm (1/2")

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (<i>Footplate mounted to hanger tube</i>)												
24	C2FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹		19 - 28cm			Set at:*	[8346]	NC			
25	C2FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}		24 - 33cm			Set at:*	[8347]	NC			
26	C2FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}		24 - 36,8cm			Set at:*	[8348]	NC			
27	C2FR99	Omit Footrest										NC

1: Available only with adjustable footplates 2: May interfere with front casters * +/- 1.27 cm (1/2")

ELEVATING LEGREST (<i>unit</i>) <i>The elevating legrest replace the footrest side selected</i>												
28	C2FR10	Elevating legrest with calf pad, 35.5 to 48.3 cm length adjustable			Left □	Right □	Set at:	[8180]				

FOOTPLATES													
29	C2FP01	Standard - Composite										[8183]	NC
30	C2FP02	Newton adjustable angle - Composite										[8211]	
31	C2FP03	Newton adjustable angle - Aluminum										[8184]	
32	C2FP04	Newton adjustable angle - Carbon fiber (<i>with rubber inserts</i>)										[8186]	
33	C2FP06	One piece adjustable angle flip-up - Aluminum										[8185]	
34	C2FP07	One piece adjustable angle flip-up - Carbon fiber (<i>with rubber inserts</i>)										[8187]	

FOOTPLATE ACCESSORIES													
35	C2FP08	Length adjustable heel loop (<i>not available with one piece footplate</i>)							[8188]				
36	C2FP09	Calf strap							[8189]				
37	C2FP30	Bodypoint Aeromesh Padded calf strap							[8352]				

RESIDUAL LIMB SUPPORT (<i>Height and angle adjustable</i>) - (<i>unit</i>)												
38	C2FR23	Swing away residual limb support - 18,8 x 22,8 cm (7" x 9")			Left □	Right □		[8513]				
39	C2FR12	Swing away residual limb support - 20.3 x 27.9 cm (8" x 11")			Left □	Right □		[8182]				

Back canes, height adjustable, with option

FIXED ANGLE BACK										
40	C2BC06	Straight Carbon fiber back cane	22.9 - 30.5 (9-12") <input type="checkbox"/> [8135]	30.5 - 38.1 (12-15") <input type="checkbox"/> [8136]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8137]	45.7 - 53.3 (18-21") <input type="checkbox"/> [8138]	STD		NC	
41	C2BC08	8° Bend Carbon fiber back cane		34.3 - 38 (13 ½-15") <input type="checkbox"/> [8139]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8140]	45.7 - 53.3 (18-21") <input type="checkbox"/> [8141]	STD			
ADJUSTABLE ANGLE BACK										
42	C2BC09	Adjustable angle, straight Carbon fiber back cane		30.5 - 38.1 (12-15") <input type="checkbox"/> [8145]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8146]	45.7 - 53.3 (18-21") <input type="checkbox"/> [8147]	STD			
43	C2BC10	Adjustable angle, 8° bend Carbon fiber back cane		34.3 - 38 (13 ½-15") <input type="checkbox"/> [8148]	38.1 - 45.7 (15-18") <input type="checkbox"/> [8149]	45.7 - 53.3 (18-21") <input type="checkbox"/> [8150]	STD			
44		Select back cane angle:	85° <input type="checkbox"/> ¹	90° <input type="checkbox"/>	95° <input type="checkbox"/>	STD <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>	
Set height to: *		(measured from seat sling to top of back upholstery)				* If not indicated, default height setting is at the lowest position				
PUSH HANDLE OPTION										
45	C2PH01	Push handles					[8152]	STD		
46	C2PH05	Fold down push handles ²					[8526]			
47	C2PH06	clamp on height adjustable push handle ³		9" -20" <input type="checkbox"/> STD [8527]		9" - 23" <input type="checkbox"/> [8528]				
48	C2PH02	Without push handles					[8151]	NC		

1 - Not available with a 8 degree bend cane 2 - 265 pouds weight limit

3 - Not compatible with swing away armrests, 8° bend back canes and ampute axle plates ; 265 pounds weight limit on carbon back cane

STROLLER HANDLE AND STABILIZER BAR * (only available with push handle)										
49	C2PH04	Stroller handle (not available with the HD option)					[8155]			
50	C2PH03	Newton folding stabilizer bar					[8154]			

* Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY										
51	C2BH07	Slip-on Active-Mesh back upholstery					[8159]	NC		
52	C2BH08	Adjustable tension Active-Mesh back upholstery					[8160]			
53	C2BH99	Omit Back upholstery					[8320]	STD		

SEAT CUSHION										
54	C2SC01	5.1 cm (2") Cushion					[8157]			
55	C2SC02	7.6 cm (3") Cushion					[8158]			
56	C2SC99	Omit seat cushion					[8381]	NC		

REAR WHEELS										
57	C2RW01	Mag ¹	20" <input type="checkbox"/> [8212]	22" <input type="checkbox"/> [8213]	24" <input type="checkbox"/> [8214]					
58	C2RW02	Newton One - spoke wheel ²	20" <input type="checkbox"/> [8377]	22" <input type="checkbox"/> [8215]	24" <input type="checkbox"/> [8216]					NC
59	C2RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/> [8217]	22" <input type="checkbox"/> [8218]	24" <input type="checkbox"/> [8219]	25" <input type="checkbox"/> [8220]	26" <input type="checkbox"/> [8221]			
60	C2RW04	Spinergy Spox		22" <input type="checkbox"/> [8222]	24" <input type="checkbox"/> [8223]	25" <input type="checkbox"/> [8224]	26" <input type="checkbox"/> [8225]			
61		Spinergy Spox spokes colors* Blk <input type="checkbox"/> STD		Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>			NC
62	C2RW05	Spinergy LX		22" <input type="checkbox"/> [8226]	24" <input type="checkbox"/> [8227]	25" <input type="checkbox"/> [8228]	26" <input type="checkbox"/> [8229]			
63		Spinergy LX spokes colors * Blk <input type="checkbox"/> STD Pur <input type="checkbox"/> Wht <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yel <input type="checkbox"/> Pink <input type="checkbox"/> Grn <input type="checkbox"/> Org <input type="checkbox"/>								NC
64	C2RW07	Spinergy CLX Carbon Blade			24" <input type="checkbox"/> [8524]	25" <input type="checkbox"/> [8525]				
65		Spinergy CLX spokes colors * Blk <input type="checkbox"/> STD Pur <input type="checkbox"/> Wht <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yel <input type="checkbox"/> Pink <input type="checkbox"/> Grn <input type="checkbox"/> Org <input type="checkbox"/>								NC

* Colour spokes require an additionnal 10 days lead-time

1 - HP tires are not compatible with Mag Wheels -use only aluminum or plastic coated handrim

2 - Not compatible with Shox tires

TIRES		Available			
66	C2TI01	Soft Urethane 1 1/4"	20", 22" 24"	[8231]	STD
67	C2TI02	Soft Urethane knobby 1 3/8"	22", 24", 25", 26"	[8374]	
68	C2TI04	Soft Urethane - Shox 1"*	22", 24", 25", 26"	[8247]	
69	C2TI05	Pneumatic 1 3/8"	20", 22", 24", 25", 26"	[8234]	NC
70	C2TI08	Pneumatic with Airless insert 1 3/8"	22", 24"	[8378]	
71	C2TI06	Pneumatic HP - 1" **	20", 22", 24", 25", 26"	[8240]	
72	C2TI07	Pneumatic HP - Schwalbe Marathon Plus 1" **	24", 25", 26"	[8245]	

* Not compatible with Newton One rear wheels

** Not compatible with Mag Wheels

HANDRIM						
73	C2HR01	Aluminum anodized		[8250]	STD	<input type="checkbox"/>
74	C2HR07	Newton Air Grip* <i>Black</i> <input type="checkbox"/>		[8441]		<input type="checkbox"/>
75	C2HR	Newton Air Grip* <i>(08) Sunkissed Orange</i> <input type="checkbox"/> <i>(09) Burgundy</i> <input type="checkbox"/> <i>(10) Sapphire Blue</i>		[8442]		<input type="checkbox"/>
		<i>(11) Monster Green</i> <input type="checkbox"/> <i>(12) Charcoal</i> <input type="checkbox"/> <i>(13) Fuchsia</i> <input type="checkbox"/> <i>(14) Steel Blue</i> <input type="checkbox"/>				
		<i>(15) Ferrari Red</i> <input type="checkbox"/> <i>(16) Acid Green</i> <input type="checkbox"/> <i>(17) White</i> <input type="checkbox"/> <i>(18) Sky Blue</i> <input type="checkbox"/>				
Assembly position for aluminum handrim						
76	C2HR29	Standard Handrim position		[8500]	STD	<input type="checkbox"/>
77	C2HR30	Narrow Handrim position - <i>Short tab (not available in 22")</i>		[8501]		<input type="checkbox"/>
78	C2HR31	Super Narrow Handrim - <i>Short tab (not available in 22")</i>		[8502]		<input type="checkbox"/>

HANDRIM						
79	C2HR02	Plastic coated ²		[8251]		<input type="checkbox"/>
80	C2HR03	Q-Grip High friction Neoprene coated* ^{1,2}		[8252]		<input type="checkbox"/>
81	C2HR28	Surge* ^{1,2} <i>(1-1/2" Oval handrim w/ Gripton high friction strip)</i>		[8510]		<input type="checkbox"/>
82	C2HR05	Surge LT* ^{1,2} <i>(1-1/8" Oval handrim w/ Gripton high friction strip)</i>		[8254]		<input type="checkbox"/>
83	C2HR04	Natural Fit* Standard Grip ^{1,2} <i>(1-1/2" Oval handrim w/standard thumb piece)</i>		[8253]		<input type="checkbox"/>
84	C2HR25	Natural Fit* Super Grip ^{1,2} <i>(1-1/2" Oval handrim w/super grip thumb piece)</i>		[8511]		<input type="checkbox"/>
85	C2HR99	Omit handrim		[8305]	NC	<input type="checkbox"/>


* Not available with Mag wheels 1 - Not available in 20" 2- Only standard handrim position available

AXLE						
86	C2AX01	Quick release axle		[8255]	STD	<input type="checkbox"/>
87	C2AX02	Permanent axle		[8256]	NC	<input type="checkbox"/>
88	C2AX03	Quad release axle		[8257]		<input type="checkbox"/>
AXLE PLATE						
89	C2AX04	Amputee adjustable axle plate *		[8259]		<input type="checkbox"/>

* May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
90	C2CM00	0° camber		[8260]	NC	<input type="checkbox"/>
91	C2CM03	3° camber		[8261]	NC	<input type="checkbox"/>
92	C2CM06	6° camber <i>(not available with amputee axle plate)</i>		[8262]		<input type="checkbox"/>

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable										Most responsive			
2.5	3.2	3.8	4.4	5.1	5.7	6.3	7	7.6	8.3	8.9	9.5	4"	
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 40.6 cm (16") and a center of gravity over 6,3 cm (2.5").

Possible conflict between a 66 cm (26") rear wheel and a center of gravity over 6,3 cm (2.5").

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK						
93	C2WL08	Newton Wheel lock - push to lock		[8263]		<input type="checkbox"/>
94	C2WL02	Pull to lock		[8264]		<input type="checkbox"/>
95	C2WL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>		[8266]		<input type="checkbox"/>
96	C2WL13 C2WL14	6" removable extension handle		[8265]		<input type="checkbox"/>
97	C2WL05	Scissor Lock		[8267]		<input type="checkbox"/>
98	C2WL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>		[8269]		<input type="checkbox"/>
99	C2WL99	Omit wheel locks		[8315]		<input type="checkbox"/>

FLIP BACK ARMREST (Convertible to "T" armrest)*				Height Adjustment				Removable function			
100	C2AR01	10" Desk length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/> STD [8162]	25 - 36cm (10 - 14") <input type="checkbox"/> [8161]	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD					<input type="checkbox"/>
101	C2AR02	14" Full length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/> STD [8163]	25 - 36cm (10 - 14") <input type="checkbox"/> [8164]	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD					<input type="checkbox"/>

"T" ARMREST*				Height Adjustment							
102	C2AR03	10" Desk length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/> STD [8165]	25 - 36cm (10 - 14") <input type="checkbox"/> [8166]							<input type="checkbox"/>
103	C2AR04	14" Full length arm pad	20 - 30cm (8 - 12") <input type="checkbox"/> STD [8167]	25 - 36cm (10 - 14") <input type="checkbox"/> [8168]							<input type="checkbox"/>

GEL ARM PAD - Option for "T" Armrest				[8512]							
104	C2AR12	36cm (14") Full Length Arm Pad - Gel Ovation				[8512]					<input type="checkbox"/>

SWING AWAY ARMREST **				Height Adjustment								
105	C2AR05	Tubular arm pad	20.3 - 27.9 (8 - 11")				[8169]					<input type="checkbox"/>
106	C2AR06	10 "Desk length arm pad	20.3 - 27.9 (8 - 11")				[8170]				<input type="checkbox"/>	

** Could interfere with some rigid back rests

SIDE GUARDS (not available with Flip Back and "T" Armrest)											
108	C2SG01	Plastic side guards (removable)				[8172]					<input type="checkbox"/>
109	C2SG02	Carbon fiber side guards (fixed) ¹				[8173]					<input type="checkbox"/>
110	C2SG03	Carbon fiber side guards (removable)				[8380]					<input type="checkbox"/>
111	C2SG04	Carbon fiber fender side guards (removable)				[8174]					<input type="checkbox"/>
112	C2SG06	Plastic fender side guards (removable) ²				[8523]					<input type="checkbox"/>
113	C2SG99	Omit side guard				[8453]				NC	<input type="checkbox"/>

1- Not available with back upholstery 2- Not compatible with 20" and 22" rear wheels

POSITIONING BELT											
114	C2SB01	Velcro adjustable	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>		[8271]					<input type="checkbox"/>
115	C2SB02	Auto buckle	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>		[8272]					<input type="checkbox"/>
116	C2SB07	Hardware attachment for 2 point seatbelt (1 pair)					[8274]				<input type="checkbox"/>
117	C2SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					[8273]				<input type="checkbox"/>
118	C2SB04	BodyPoint Hip Belt - 2 point not padded	M <input type="checkbox"/> [8313]	L <input type="checkbox"/> [8314]							<input type="checkbox"/>
119	C2SB05	BodyPoint Hip Belt - 2 point padded	S <input type="checkbox"/> [14633]	M <input type="checkbox"/> [14644]	L <input type="checkbox"/> [14653]						<input type="checkbox"/>
120	C2SB06	BodyPoint Hip Belt - 4 point padded	S <input type="checkbox"/> [14749]	M <input type="checkbox"/> [14750]	L <input type="checkbox"/> [14751]						<input type="checkbox"/>
121	C2SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	M <input type="checkbox"/>	L <input type="checkbox"/>		[8522]					<input type="checkbox"/>
122	C2SB99	Omit positioning belt					[8316]			STD	<input type="checkbox"/>


HEADREST *											
123	C2AC01	Profiled Headrest	Small 8,8 x 15,2 cm <input type="checkbox"/>	Medium 11,4 x 17,8 cm <input type="checkbox"/>	Large 14 x 2,3 cm <input type="checkbox"/>	[8282]					<input type="checkbox"/>
124	C2AC02	Headrest mounting hardware with removable non folding stabilizer bar					[8153]				<input type="checkbox"/>

* Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES											
125	C2AC03	Anti tippers					[8275]				<input type="checkbox"/>
126	C2AC04	Transit Tie Down (Unoccupied)					[8361]			NC	<input type="checkbox"/>
127	C2AC05	WC-19 Transit Tie Down w/Q'straint belt*	Short 50-104 cm <input type="checkbox"/>	Long 50-116 cm <input type="checkbox"/>		[8326]					<input type="checkbox"/>
		*Not available with the swing away armrest									
128	C2AC06	Cane carrier	Left <input type="checkbox"/>	Right <input type="checkbox"/>		[8276]					<input type="checkbox"/>
129	C2AC07	Oxygen tank holder - D Type	Left				[8353]				<input type="checkbox"/>
		Not compatible with swing away armrest or amputee axle plate									
130	C2AC08	Spoke guards**	Available: 20", 22", 24", 26"				[8277]				<input type="checkbox"/>
131	C2AC09	Footrest neoprene impact guard (pair) - Black					[8278]				<input type="checkbox"/>
132	C2AC10	Seat pouch					[8279]				<input type="checkbox"/>
133	C2AC26	BodyPoint Mobility Bag					[8521]				<input type="checkbox"/>
134	C2AC23	Newton Backpack					[8375]				<input type="checkbox"/>
135	C2AC12	Velcro Closing Strap					[8281]				<input type="checkbox"/>
136	C2AC13	Tool kit					[8329]				<input type="checkbox"/>
137	C2AC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>	M/XXXL <input type="checkbox"/>	[8280]				<input type="checkbox"/>
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXXL <input type="checkbox"/>			<input type="checkbox"/>

** Not available with Mag wheels

FRAME COLOR						
138	C2FC01	Carbon Fiber Black <input type="checkbox"/> [8116]				NC
139	C2FC03	Sunkissed Orange <input type="checkbox"/> [8111]	Burgundy <input type="checkbox"/> [8107]	Sapphire Blue <input type="checkbox"/> [8106]	Monster Green <input type="checkbox"/> [8110]	NC
		Charcoal <input type="checkbox"/> [8114]	Fuchsia <input type="checkbox"/> [8108]	Steel Blue <input type="checkbox"/> [8112]	Ferrari Red <input type="checkbox"/> [8113]	
140	C2FC99	Custom Color Specify PPG Paintit color:				
TOTAL						



Notes :